

鋼材表

ー スチールー

目次

機械構造用鋼管 (STKM)	1
機械構造用鋼管 (STKM)	2
機械構造用角形鋼管 (STKMR)	3
機械構造用角形鋼管 (STKMR)	4
一般構造用鋼管 (STK) (ク)	5
配管用鋼管 (SGP) (ク)	5
一般構造用鋼管 (STK) (ミ)	6
配管用鋼管 (SGP) (ミ)	6
一般構造用鋼管 (STK) (メ)	6
一般構造用角形鋼管 (STKR)	7
一般構造用角形鋼管 (STKR)	8
みがき平鋼 (FB)	9
みがき平鋼 (FB)	10
みがき四角鋼	11
みがき丸鋼	12
平鉄 (黒皮)	13
平鉄 (黒皮)	14
平鉄 (黒皮)	15
アングル (黒皮)	16
アングル (カラー)	16
丸鋼 (黒皮)	17
角鋼 (黒皮)	18
異形丸鋼	18

機械構造用鋼管 (STKM)

サイズ	長さ	m 単重	
5 x 1.0	3,660	0.0986	
6 x 1.0	"	0.123	
6.3 x 1.0	"	0.131	
7 x 1.0	"	0.148	
7 x 1.2	"	0.172	
8 x 1.0	"	0.173	
8 x 1.2	"	0.201	
8 x 1.6	"	0.253	
9 x 1.0	"	0.197	
9 x 1.2	"	0.231	
9 x 1.6	"	0.292	
9.5 x 1.0	"	0.210	
9.5 x 1.2	"	0.246	
9.5 x 1.6	"	0.312	
10 x 1.0	"	0.222	
10 x 1.2	"	0.260	
10 x 1.6	"	0.331	
11 x 1.0	"	0.247	
11 x 1.6	"	0.371	
12 x 1.0	"	0.271	
12 x 1.2	"	0.320	
12 x 1.6	"	0.410	
12.7 x 1.0	5,500	0.289	
12.7 x 1.2	"	0.340	
12.7 x 1.6	"	0.438	
13.8 x 1.6	5,400	0.481	
13.8 x 2.0	5,500	0.582	
14 x 1.0	"	0.321	
14 x 1.2	"	0.379	
15.9 x 1.0	"	0.367	
15.9 x 1.2	"	0.435	
15.9 x 1.6	"	0.564	
15.9 x 2.0	"	0.686	
15.9 x 2.3	"	0.771	
17.3 x 1.6	"	0.619	
17.3 x 2.0	"	0.755	
17.3 x 3.2	"	1.110	
19.1 x 1.0	"	0.446	
19.1 x 1.2	"	0.530	
19.1 x 1.6	"	0.690	
19.1 x 2.0	"	0.843	
19.1 x 2.3	"	0.953	
22.2 x 1.0	"	0.523	
22.2 x 1.2	"	0.621	
22.2 x 1.6	"	0.813	
22.2 x 2.0	"	0.996	

機械構造用鋼管 (STKM)

サイズ	長さ	m 単重	
25.4 x 1.0	5,500	0.602	
25.4 x 1.2	〃	0.716	
25.4 x 1.6	〃	0.939	
25.4 x 2.0	〃	1.150	
25.4 x 2.3	〃	1.310	
25.4 x 2.8	〃	1.560	
28.6 x 1.2	〃	0.811	
28.6 x 1.6	〃	1.070	
28.6 x 2.0	〃	1.310	
28.6 x 2.3	〃	1.490	
28.6 x 2.6	4,850	1.670	
31.8 x 1.2	5,500	0.906	
31.8 x 1.6	〃	1.190	
31.8 x 2.0	〃	1.470	
31.8 x 2.3	〃	1.670	
31.8 x 2.9	〃	2.070	
34 x 1.6	〃	1.280	
35 x 1.2	〃	1.000	
38.1 x 1.2	〃	1.090	
38.1 x 1.6	5,500	1.440	
38.1 x 1.9	〃	1.700	
38.1 x 2.0	〃	1.78	
38.1 x 2.3	〃	2.030	
42.7 x 1.2	〃	1.230	
42.7 x 1.6	〃	1.620	
42.7 x 2.0	5,850	2.010	
45 x 1.6	5,500	1.710	
48.6 x 1.6	〃	1.850	
50.8 x 1.2	〃	1.470	
50.8 x 1.6	〃	1.940	
50.8 x 1.9	〃	2.290	
50.8 x 2.3	〃	2.750	
54 x 1.6	〃	2.070	
60.5 x 1.6	〃	2.320	
60.5 x 1.9	〃	2.750	
63.5 x 2.0	〃	3.030	
76.3 x 1.6	〃	2.950	
76.3 x 2.0	〃	3.660	

機械構造用角形鋼管 (STKMR)

角出 L(STKMRK)		Rつき(STKMRR)		長さ	m 単重	
正方形	矩形	正方形	矩形			
9x9x1.0				5,400	0.289	
12x12x1.0				5,500	0.367	
12x12x1.2				"	0.435	
13x13x1.2	19x10x1.2			"	0.530	
13x13x1.6				"	0.690	
14x14x1.2				"	0.530	
16x16x1.2	22x10x1.2			"	0.621	
16x16x1.6				"	0.813	
19x19x1.2	25x12x1.2			"	0.716	
19x19x1.6	25x12x1.6			"	0.939	
	24x14x1.2			"	0.716	
	24x14x1.6			"	0.939	
21x21x1.2				"	0.811	
22x22x1.2				"		
21x21x1.6				"	1.070	
22x22x1.6				"		
	28x18x1.2			"	0.906	
		25x25x1.2	30x20x1.2	"	0.906	
	32x14x1.2			"		
	32x16x1.2			"		
	30x16x1.6	25x25x1.6	30x20x1.6	"	1.190	
	32x14x1.6			"		
	32x16x1.6			"		
24x24x1.2				"	0.906	
24x24x1.6				"	1.190	
		26x26x1.6		"	1.190	
			30x20x2.3	6,000	1.670	
25x25x1.2				5,500	.0971	
25x25x1.6				"	1.280	
		25x25x2.0		5,550	1.470	
25x25x2.0 (ピートカット品)				"	1.580	
		25x25x2.3		6,000	1.670	
		30x30x2.3		"	2.030	
28x28x1.2	40x16x1.2	31x31x1.2	40x20x1.2	5,500	1.090	
28x28x1.6	40x16x1.6	31x31x1.6	40x20x1.6	"	1.440	
	40x16x2.0	31x31x2.0		5,550	1.780	
			40x20x2.3	6,000	2.030	
			40x20x3.2	"	2.750	
32x32x1.2	40x25x1.2			5,500	1.230	
32x32x1.6	40x25x1.6			"	1.620	
			50x16x1.6	5,300	1.620	
	40x25x2.0		50x16x2.0	5,550	2.010	
			50x20x1.6	6,000	1.630	
			50x20x2.3	"	2.290	
		35x35x3.2		"	3.300	

機械構造用角形鋼管 (STKMR)

角出し(STKMRK)		Rつき(STKMRR)		長さ	m 単重	
正方形	矩形	正方形	矩形			
38x38x1.6	50x26x1.6	40x40x1.6	50x30x1.6	5,500	1.940	
		40x40x2.0		6,000	2.410	
		40x40x2.3	50x30x2.3	"	2.750	
			50x30x3.2	"	3.760	
		40x40x3.2		"	3.770	
	50x26x2.0			5,550	2.410	
45x45x1.6	60x30x1.6			5,500	2.320	
45x45x2.3				"	3.100	
45x45x3.2				"	4.250	
			60x40x1.6	5,500	2.440	
			60x40x2.3	6,000	3.340	
			75x25x1.6	"	2.440	
	70x25x1.6		70x30x1.6	"	2.440	
	70x25x2.0		70x30x2.0	6,410	3.030	
		50x50x2.0		5,550	3.030	
		60x60x1.6		5,700	2.880	
	75x20x1.6			6,000	2.320	
			80x40x1.6	"	2.940	
			80x40x2.3	"	4.200	
			90x30x1.6	5,500	2.940	

一般構造用鋼管 (STK) (ク)

サイズ	長さ	m 単重	
21.7 x 1.9	5,500	0.928	
21.7 x 2.3	〃	1.10	
27.2 x 1.9	〃	1.19	
27.2 x 2.3	〃	1.41	
34 x 2.3	〃	1.80	
42.7 x 2.3	〃	2.29	
42.7 x 2.3(ピ-トカット)	〃	2.29	
42.7 x 3.2	〃	3.12	
48.6 x 2.3	〃	2.63	
48.6 x 3.2	〃	3.58	
60.5 x 2.3	〃	3.30	
60.5 x 3.2	〃	4.52	
76.3 x 2.8	〃	5.08	
76.3 x 3.2	〃	5.77	
89.1 x 2.8	〃	5.96	
89.1 x 3.2	〃	6.78	
101.6 x 3.2	〃	7.76	
114.3 x 3.5	〃	9.56	
127 x 4.5	〃	13.6	
139.8 x 3.5	〃	11.8	
165.2 x 3.7	〃	14.7	
216.3 x 4.5	〃	23.5	

配管用鋼管 (GP) (ク)

サイズ	長さ	m 単重	
15A (21.7 x 2.8)	5,500	1.31	
20A (27.2 x 2.8)	〃	1.68	
25A (34 x 3.2)	〃	2.43	
32A (42.7 x 3.5)	〃	3.38	
40A (48.6 x 3.5)	〃	3.89	
50A (60.5 x 3.8)	〃	5.31	
65A (76.3 x 4.2)	〃	7.47	
80A (89.1 x 4.2)	〃	8.79	
90A (101.6 x 4.2)	〃	10.1	
100A (114.3 x 4.5)	〃	12.2	
125A (139.8 x 4.5)	〃	15.0	
150A (165.2 x 5.0)	〃	19.8	
175A (190.7 x 5.3)	〃	24.2	
200A (216.3 x 5.8)	〃	30.1	
250A (267.4 x 6.6)	〃	42.4	
300A (318.5 x 6.9)	〃	53.0	

一般構造用鋼管 (STK) (ミガキ)

サイズ	長さ	m 単重	
21.7 x 1.9	5,500	0.928	
21.7 x 2.3	"	1.10	
27.2 x 1.9	"	1.19	
27.2 x 2.3	"	1.41	
34 x 2.3	"	1.80	
42.7 x 2.3	"	2.29	
48.6 x 2.3	"	2.63	
60.5 x 2.3	"	3.30	

配管用鋼管 (SGP) (ミガキ)

サイズ	長さ	m 単重	
6A (10.5 x 2.0)	5,500	0.419	
8A (13.8 x 2.3)	"	0.652	
10A (17.3 x 2.3)	"	0.851	
15A (21.7 x 2.8)	"	1.31	
20A (27.2 x 2.8)	"	1.68	
25A (34 x 3.2)	"	2.43	
32A (42.7 x 3.5)	"	3.38	
40A (48.6 x 3.5)	"	3.89	

一般構造用鋼管 (STK) (メッキ)

サイズ	長さ	m 単重	
21.7 x 1.9	6,000	0.928	
27.2 x 1.9	"	1.19	
27.2 x 2.3	"	1.41	
34 x 2.3	"	1.80	
48.6 x 2.3	"	2.63	
48.6 x 2.3	4,000	2.73	
60.5 x 2.3	6,000	3.30	
20A (27.2 x 2.8)	5,500	1.68	
25A (34.0 x 3.2)	"	2.43	

一般構造用角形鋼管 (STKR)

サイズ				長さ	m 単重		
45	x	45	x	2.3	5,200	2.75	
50	x	50	x	1.6	6,000	2.38	
50	x	50	x	2.3	〃	3.34	
50	x	50	x	3.2	〃	4.50	
50	x	50	x	4.5	〃	6.02	
60	x	60	x	1.6	〃	2.88	
60	x	60	x	2.3	〃	4.06	
60	x	60	x	3.2	〃	5.50	
60	x	60	x	4.2	〃	7.47	
60	x	60	x	5.2	〃	9.12	
65	x	65	x	3.2	〃	5.77	
70	x	70	x	3.2	〃	6.78	
75	x	75	x	2.3	〃	5.14	
75	x	75	x	3.2	〃	7.01	
75	x	75	x	4.5	〃	9.55	
80	x	80	x	2.3	〃	5.50	
80	x	80	x	3.2	〃	7.51	
90	x	90	x	2.3	〃	6.23	
90	x	90	x	3.2	〃	8.51	
100	x	100	x	2.3	〃	6.95	
100	x	100	x	3.2	〃	9.52	
100	x	100	x	4.5	〃	13.10	
100	x	100	x	6.0	〃	17.00	
125	x	125	x	3.2	〃	12.00	
125	x	125	x	4.5	〃	16.60	
125	x	125	x	6.0	〃	21.70	
150	x	150	x	4.5	〃	20.10	
150	x	150	x	6.0	〃	26.40	
150	x	150	x	9.0	〃	38.20	
175	x	175	x	6.0	〃	31.10	
175	x	175	x	9.0	〃	45.30	
55	x	40	x	2.3	6,000	3.30	
60	x	30	x	1.6	〃	2.13	
60	x	30	x	2.3	〃	2.98	
60	x	30	x	3.2	〃	3.99	
60	x	35	x	3.2	〃	4.52	
75	x	45	x	2.3	〃	4.06	
75	x	45	x	3.2	〃	5.50	
75	x	50	x	4.2	〃	7.47	
80	x	40	x	2.3	〃	4.20	
80	x	40	x	3.2	〃	5.77	
90	x	30	x	2.3	〃	4.20	
90	x	40	x	3.2	〃	6.78	
90	x	45	x	2.3	〃	4.86	
90	x	45	x	3.2	〃	6.68	
90	x	50	x	4.2	〃	8.78	

一般構造用角形鋼管 (STKR)

サイズ				長さ	m 単重		
100	x	20	x	1.6	6,000	2.90	
100	x	40	x	1.6	〃	3.38	
100	x	40	x	2.3	〃	4.78	
100	x	50	x	1.6	〃	3.64	
100	x	50	x	2.3	〃	5.14	
100	x	50	x	3.2	〃	7.01	
100	x	50	x	4.5	〃	9.55	
120	x	40	x	3.2	〃	7.76	
125	x	40	x	3.2	〃	7.76	
125	x	75	x	2.3	〃	6.95	
125	x	75	x	3.2	〃	9.52	
125	x	75	x	4.5	〃	13.10	
150	x	50	x	2.3	〃	6.95	
150	x	50	x	3.2	〃	9.52	
150	x	75	x	3.2	〃	10.80	
150	x	100	x	3.2	〃	12.00	
150	x	100	x	4.5	〃	16.60	
150	x	100	x	6.0	〃	21.70	
200	x	100	x	4.5	〃	20.10	
200	x	100	x	6.0	〃	26.40	

みがき平鋼 (FB)

サイズ	長さ	m 単重	
3 x 9	3,000	0.212	
3 x 12	3,500	0.283	
3 x 13	〃	0.306	
3 x 16	〃	0.377	
3 x 19	〃	0.448	
3 x 22	4,000	0.518	
3 x 25	〃	0.589	
3 x 32	〃	0.754	
3 x 38	〃	0.895	
3 x 50	〃	1.180	
4.5 x 9	3,500	0.32	
4.5 x 13	〃	0.46	
4.5 x 16	〃	0.57	
4.5 x 19	〃	0.67	
4.5 x 22	4,000	0.78	
4.5 x 25	〃	0.88	
4.5 x 32	〃	1.13	
4.5 x 38	〃	1.34	
4.5 x 50	〃	1.77	
5 x 13	〃	0.51	
5 x 16	〃	.063	
5 x 19	〃	0.75	
5 x 22	〃	0.86	
5 x 25	〃	0.98	
5 x 32	〃	1.26	
5 x 38	〃	1.49	
5 x 50	〃	1.96	
6 x 9	3,500	0.42	
6 x 12	〃	0.57	
6 x 13	〃	0.61	
6 16	〃	0.75	
6 19	4,000	0.89	
6 22	〃	1.04	
6 25	〃	1.18	
6 32	〃	1.51	
6 38	〃	1.79	
6 44	〃	2.07	
6 x 50	〃	2.36	
6 x 60	〃	2.83	
6 x 65	〃	3.06	
6 x 75	〃	3.53	
6 x 90	〃	4.24	
6 x 100	〃	4.71	
6 x 125	〃	5.89	
6 x 150	〃	7.07	
6 x 200	〃	9.42	

みがき平鋼 (FB)

サイズ	長さ	m 単重	
9 x 12	4,000	0.85	
9 x 13	〃	0.92	
9 x 16	〃	1.13	
9 x 19	〃	1.34	
9 x 22	〃	1.55	
9 x 25	〃	1.77	
9 x 32	〃	2.26	
9 x 38	〃	2.68	
9 x 44	〃	3.11	
9 x 50	〃	3.53	
9 x 60	〃	4.24	
9 x 65	〃	4.59	
9 x 75	〃	5.30	
9 x 90	〃	6.36	
9 x 100	〃	7.07	
9 x 125	〃	8.83	
9 x 150	〃	10.60	
9 x 200	〃	14.13	
9 x 250	〃	17.66	
9 x 300	〃	21.20	
12 x 16	〃	1.51	
12 x 19	〃	1.79	
12 x 22	〃	2.07	
12 x 25	〃	2.36	
12 x 32	〃	3.01	
12 x 38	〃	3.58	
12 x 44	〃	4.14	
12 x 50	〃	4.71	
12 x 60	〃	5.65	
12 x 65	〃	6.12	
12 x 75	〃	7.07	
12 x 90	〃	8.48	
12 x 100	〃	9.42	
12 x 125	〃	11.78	
12 x 150	〃	14.13	
12 x 200	〃	18.84	
12 x 250	〃	23.55	
12 x 300	〃	28.26	
12 x 400	〃	37.68	

みがき四角鋼

サイズ	長さ	kg/m	
4 x 4	2,000	0.126	
5 x 5	"	0.196	
6 x 6	"	0.283	
7 x 7	3,500	0.385	
8 x 8	"	0.502	
9 x 9	"	0.636	
10 x 10	"	0.785	
11 x 11	"	0.95	
12 x 12	4,000	1.13	
13 x 13	"	1.33	
14 x 14	"	1.54	
15 x 15	"	1.77	
16 x 16	"	2.01	
17 x 17	"	2.27	
18 x 18	"	2.54	
19 x 19	"	2.83	
20 x 20	"	3.14	
22 x 22	"	3.80	
24 x 24	"	4.52	
25 x 25	"	4.91	
28 x 28	"	6.15	
30 x 30	"	7.07	
32 x 32	"	8.04	
35 x 35	"	9.62	
36 x 36	"	10.2	
38 x 38	"	11.3	
40 x 40	"	12.6	
42 x 42	"	13.9	
44 x 44	"	15.2	
45 x 45	"	15.9	
50 x 50	"	19.6	

みがき丸鋼

サイズ	長さ	kg/m	
2	2,000	0.025	
3	"	0.056	
4	"	0.099	
5	"	0.154	
6	4,000	0.222	
7	"	0.302	
8	"	0.395	
9	"	0.499	
10	"	0.617	
11	"	0.746	
12	"	0.888	
13	"	1.04	
14	"	1.21	
15	"	1.39	
16	"	1.58	
17	"	1.78	
18	"	2.0	
19	"	2.23	
20	"	2.47	
21	"	2.72	
22	3,000	2.98	
23	"	3.26	
24	"	3.55	
25	"	3.85	
26	"	4.17	
27	"	4.49	
28	"	4.83	
29	"	5.18	
30	"	5.55	
31	"	5.93	
32	"	6.31	
33	"	6.71	
34	"	7.13	
35	"	7.55	
36	"	7.99	
37	"	8.44	
38	"	8.9	
39	"	9.38	
40	"	9.87	

平鉄 (黒皮)

サイズ	長さ	kg/m	
3 x 13	5,500	0.306	
3 x 16	〃	0.377	
3 x 19	〃	0.447	
3 x 22	〃	0.518	
3 x 25	〃	0.589	
3 x 32	〃	0.754	
3 x 38	〃	0.895	
3 x 44	〃	1.04	
3 x 50	〃	1.18	
4.5 x 13	〃	0.459	
4.5 x 16	〃	0.565	
4.5 x 19	〃	0.671	
4.5 x 22	〃	0.777	
4.5 x 25	〃	0.883	
4.5 x 32	〃	1.13	
4.5 x 38	6,000	1.34	
4.5 x 44	5,500	1.55	
4.5 x 50	〃	1.77	
4.5 x 65	〃	2.3	
4.5 x 75	〃	2.65	
4.5 x 90	〃	3.18	
4.5 x 100	〃	3.53	
6 x 13	〃	0.612	
6 x 16	〃	0.754	
6 x 19	〃	0.895	
6 x 22	〃	1.04	
6 x 25	〃	1.18	
6 x 32	〃	1.51	
6 x 38	〃	1.79	
6 x 44	〃	2.07	
6 x 50	〃	2.36	
6 x 65	〃	3.06	
6 x 75	6,000	3.53	
6 x 90	5,500	4.24	
6 x 100	〃	4.71	
6 x 125	〃	5.89	
6 x 150	〃	7.06	
6 x 200	6,000	9.42	

平鉄 (黒皮)

サイズ	長さ	kg/m	
9 x 16	5,500	1.13	
9 x 19	〃	1.34	
9 x 22	〃	1.55	
9 x 25	〃	1.77	
9 x 32	〃	2.26	
9 x 38	〃	2.68	
9 x 44	〃	3.11	
9 x 50	〃	3.53	
9 x 65	〃	4.59	
9 x 75	〃	5.3	
9 x 90	〃	6.36	
9 x 100	〃	7.06	
9 x 125	〃	8.83	
9 x 150	〃	10.6	
9 x 200	6,000	14.1	
9 x 250	〃	17.7	
9 x 300	〃	21.2	
12 x 25	〃	2.36	
12 x 32	5,500	3.01	
12 x 38	6,000	3.58	
12 x 44	〃	4.14	
12 x 50	5,500	4.71	
12 x 65	〃	6.12	
12 x 75	6,000	7.06	
12 x 90	〃	8.48	
12 x 100	〃	9.42	
12 x 125	〃	11.8	
12 x 150	〃	14.1	
12 x 200	〃	18.8	
12 x 250	〃	23.6	
12 x 300	〃	28.3	
16 x 25	〃	3.14	
16 x 32	〃	4.02	
16 x 38	〃	4.77	
16 x 44	〃	5.53	
16 x 50	〃	6.28	
16 x 65	〃	8.16	
16 x 75	〃	9.42	
16 x 90	〃	11.3	
16 x 100	〃	12.6	
16 x 125	〃	15.7	
16 x 150	〃	18.8	
16 x 200	〃	25.1	
16 x 250	〃	31.4	
16 x 300	〃	37.7	

平鉄 (黒皮)

サイズ	長さ	kg/m	
19 x 32	6,000	4.77	
19 x 38	〃	5.67	
19 x 44	〃	6.56	
19 x 50	〃	7.46	
19 x 65	〃	9.69	
19 x 75	〃	11.2	
19 x 90	〃	13.4	
19 x 100	5,500	14.9	
19 x 125	〃	18.6	
19 x 150	6,000	22.4	
19 x 200	〃	29.8	
19 x 250	〃	37.3	
19 x 300	〃	44.7	
22 x 50	〃	8.64	
22 x 65	〃	11.2	
22 x 75	〃	13.0	
22 x 90	〃	15.5	
22 x 100	〃	17.3	
22 x 125	〃	21.6	
22 x 150	〃	25.9	
22 x 200	〃	34.5	
25 x 50	〃	9.81	
25 x 65	〃	12.8	
25 x 75	〃	14.7	
25 x 90	〃	17.7	
25 x 100	〃	19.6	
25 x 125	〃	24.5	
25 x 150	〃	29.4	
25 x 200	〃	39.2	

アングル(黒皮)

サイズ				長さ	kg/m	
3	x	20	x 20	5,500	0.885	
3	x	25	x 25	〃	1.12	
3	x	30	x 30	〃	1.36	
5	x	30	x 30	〃	2.16	
3	x	40	x 40	〃	1.83	
5	x	40	x 40	〃	2.95	
4	x	50	x 50	〃	3.05	
6	x	50	x 50	〃	4.43	
6	x	65	x 65	〃	5.91	
8	x	65	x 65	〃	7.66	
6	x	75	x 75	〃	6.85	
9	x	75	x 75	〃	9.96	
12	x	75	x 75	〃	13.0	
7	x	90	x 90	〃	9.59	
10	x	90	x 90	12,000	13.3	
13	x	90	x 90	〃	17.0	
7	x	100	x 100	〃	10.7	
10	x	100	x 100	〃	14.9	
13	x	100	x 100	〃	19.1	
9	x	130	x 130	〃	17.9	
12	x	130	x 130	〃	23.4	
15	x	130	x 130	〃	28.8	
12	x	150	x 150	〃	27.3	
15	x	150	x 150	〃	33.6	

アングル(カラー)

サイズ				長さ	kg/m	
3	x	25	x 25	5,500	1.12	
3	x	30	x 30	〃	1.36	
3	x	40	x 40	〃	1.83	
5	x	40	x 40	〃	2.95	
4	x	50	x 50	〃	3.06	
6	x	50	x 50	〃	4.43	
6	x	65	x 65	〃	5.91	
6	x	75	x 75	6,000	6.85	

丸鋼 (黒皮)

サイズ	長さ	kg/m	
6	5,500	0.222	
9	〃	0.499	
3/8(9.5)	〃	0.559	
13	〃	1.04	
16	〃	1.58	
19	〃	2.23	
22	6,000	2.98	
25	〃	3.85	
28	5,500	4.83	
32	〃	6.31	
36	〃	7.99	
38	〃	8.9	
42	〃	10.9	
44		11.9	
50		15.4	
55		18.7	
60		22.2	
65		26.0	
70		30.2	
75		34.7	
80		39.5	
85		44.5	
90		49.9	
95		55.6	
100		61.7	
110		74.6	
120		88.8	
130		104.0	
150		139.0	

角鋼 (黒皮)

一辺	長さ	kg/m	
9.52	5,500	0.711	
13	"	1.33	
16	"	2.01	
19	"	2.83	
22	6,000	3.8	
25	5,500	4.91	
28	6,000	6.15	
32	"	8.04	
38	"	11.3	
44	"	15.2	
50	"	19.6	
65	"	33.2	

異形丸鋼

一辺	長さ	kg/m	
D10	"	0.56	
D13	"	0.995	
D16	"	1.56	
D19	"	2.25	

株式会社戸富への連絡票

この度は、弊社の商品・サービスにご興味を持っていただき、ありがとうございます。
ご相談・お問い合わせは、下記のフォームに必要事項をご記入の上、FAXにて送信して下さい。

送信先 FAX番号 06 - 6973 - 2840

また、お電話でのお問い合わせも承っております。

お気軽にお問い合わせ下さい。

TEL : 06 - 6973 - 2840

担当 : 山本 謙一 (やまもと けんいち)

会社名	
ご担当者名	
ご住所	
TEL	
FAX	
E - Mail	
業種	
ご相談・お問い合わせの内容	